REFERANCES

1. Abebo Teshome Abuka and Tesfaye Dawit Jember. Postnatal care utilization and associated factors among women of reproductive age Group in Halaba Kulito Town, Southern Ethiopia. Archives of Public Health, Dec 2018, 76:9.
2. Bhatt Shweta , Parikh Pooja, Kantharia Neha, Dahat Amit , Parmar Rahul. Knowledge, attitude and practice of postnatal mothers for early initiation of breast feeding in the obstetric wards of a tertiary care hospital of Vadodara city. National Journal of Community Medicine Vol 3 Issue 2 April-June 2012.
3. Bremnes Hanna Strømholt, WiigÅsilKjøl, Abeid , Muzdalifat & Darjhttp://orcid.org/0000-0002-8311-4956 Elisabeth. Challenges in day-to-day midwifery practice; a qualitative study from a regional referral hospital in Dar es Salaam, Tanzania. Journal Global Health Action Volume 11, 2018 - Issue 1.
4. Brocklehurst P. Perinatal and maternal outcomes by planned place of birth for healthy women with low risk pregnancies: the Birthplace in England national prospective cohort study. BMJ. 2011; 343: d7400.Go to:
5. Comparative Effectiveness Review Number 151. Management of Postpartum Hemorrhage. AHRQ Publication No. 15-EHC013-EF April 2015.
6. Chakraborty N, Islam MA, Chowdhury RI, Bari W. Utilisation of postnatal care in Bangladesh: evidence from a longitudinal study. Health Soc Care Community. 2002 Nov;10(6):492-502.
7. ChemirFantaye, AlemsegedFessahaye , and WprknehDestaWorkneh. Satisfaction with focused antenatal care service and associated factors among pregnant women attending focused antenatal care at health centers in Jimma town, Jimma zone, South West Ethiopia; a facility based cross-sectional study triangulated with qualitative study. BMC Res Notes. 2014; 7: 164.
8. Christensen Louise Fischer & Overgaard Charlotte. Are freestanding midwifery units a safe alternative to obstetric units for low-risk, primiparous childbirth? An analysis of effect differences by parity in a matched cohort study. BMC Pregnancy and Childbirth volume 17, Article number: 14 (2017).

9. Dabral Shweta & Malik SL. Demiographic Study of Gujjars of Delhi: IV. KAP of Family Planning. Journal of Human Ecology. 2004; 16:4, 231-237.
10. Ebuehi Olufunke Margaret, Chinda Grace Nkechinyere, Sotunde Oludolapo Muibat, Oyetoyan Solomon Adeyanju. Emergency Obstetric Care: Urban Versus Rural Comparison of Health Workers' Knowledge, Attitude and Practice in River State, Nigeria- Implications for Maternal Health Care in Rivers State. Clinical Medicine and Diagnostics, 2013; 3(2): 29-51
11. Effendi R. Isaranurug S. Chompikul J. Factors related to regular utilization of antenatal care service among postpartum mothers in Pasar Rebo General Hospital, Jakarta, Indonesia Journal of Public Health and Vol.6 No. 1, 113-122.
12. Fotso Jean Christophe , Higgins-Steele Ariel & Mohanty Satyanarayan. Male engagement as a strategy to improve utilization and community-based delivery of maternal, newborn and child health services: evidence from an intervention in Odisha, India. BMC Health Services Research volume 15, Article number: S5 (2015).
13. Gupta Rajiv Kumar , Shora Tajali Nazir, Verma Aruna K and Jan Rayaz. Knowledge regarding antenatal care services, its utilization, and delivery practices in mothers (aged 15-49 years) in a rural area of North India. Tropical J Med Res 2015,18:89-94.
14. Hollowell J, Puddicombe D, Rowe R, Linsell L, Hardy P, Stewart M, et al. The Birthplace national prospective cohort study: Perinatal and maternal outcomes by planned place of birth. Birthplace in England research programme. Fin.al report part 4: NIHR service delivery and organization programme, 2011. BMJ. 2011; 343: d7400
15. Khanal Vishnul, Adhikari Mandira Karkee Rajendra and GavidiaTania. Factors associated with the utilisation of postnatal care services among the mothers of Nepal: analysis of Nepal Demographic and Health Survey 2011. BMC Womens Health. 2014; 14: 19.
16. Kifle MM, Kesete HF, Gaim HT, Angosom GS, Araya MB. Health facility or home delivery? Factors influencing the choice of delivery place among mothers living in rural communities of Eritrea. Health Popul Nutr. 2018 Oct 22;37(1):22.

17. KulkarniKranti K. KAP Studies Among Indian Antenatal Women: Can We Reduce the incidence of anaemia? The Journal of Obstetrics and Gynecology of India (September–October 2015) 65(5):320–322
18. Mehta Rajesh, Mavalankar Dileep V, Ramani KV, Sharma Sheetal and Hussein Julia. Infection control in delivery care units, Gujarat state, India: A needs assessment.
19. Nair Harish and Panda Rajmohan. Quality of maternal healthcare in India: Has the National Rural Health Mission made a difference? J Glob Health. 2011 Jun; 1(1): 79–86
20. Neelimarani G R. "A study to assess the knowledge gain with video assisted teaching on Kangaroo mother care among BSc Nursing III year students at NIMS College of Nursing Hyderabad" Masters Dissertation. NIMS deemed University, Hyderabad.
21. Ogunba BO, Abiodun OB (2017) Knowledge and Attitude of Women and Its Influence on Antenatal Care Attendance in Southwestern Nigeria. J Nutr Health Sci 4(2): 207
22. Ojong, Idang N ;UgaAdaora, ; &Chiotu, Catherine N. Knowledge and attitude of pregnant women towards focused ante natal care services in university of Calabar teaching hospital, Calabar, cross river state, Nigeria . International Journal of Midwife and Health Related Cases Vol.1, No.1, pp.14-23, March 2015
23. Patel BB, Gurmeet P, Sinalkar DR, PandyaKH, Mahen A, Singh N. A study on knowledge and practices of antenatal care among pregnant women attending antenatal clinic at a Tertiary Care Hospital of Pune, Maharashtra. Med J DY PatilUniv 2016;9:354-62
24. Pell C, Meñaca A, Were F, Afrah NA, Chatio S, Manda-Taylor L, et al. (2013) Factors Affecting Antenatal Care Attendance: Results from Qualitative Studies in Ghana, Kenya and Malawi. PLoS ONE 8(1): e53747.
25. Shahjahan Md, chowdhury Hasina Akhter, Al – Hadhrami Ahmed Y, HarunGolam . Antenatal and postnatal care practices among mothers in rural Bangladesh: A community based cross sectional study. September 2017 Volume 52, Pages 42 - 48
26. Tesfahun Fikirte, Worku Walelegn, Mazengiya Fekadu, and Kifle Manay. Knowledge, Perception and Utilization of Postnatal Care of Mothers in Gondar Zuria District, Ethiopia: A Cross-Sectional Study. Matern Child Health J. 2014; 18(10): 2341–2351.

27. Tim Stokes, Shaw Elizabeth J, Camosso-Stefinovic Janette, Imamura Mari, Kanguru Loveny & Hussein Julia. Barriers and enablers to guideline implementation strategies to improve obstetric care practice in low- and middle-income countries: a systematic review of qualitative evidence. Implementation Science 2016, volume 11, article number: 144 (2016)
28. Titaley Christiana R , Dibley Michael J , and Roberts Christine L. Factors associated with underutilization of antenatal care services in Indonesia: results of Indonesia Demographic and Health Survey 2002/2003 and 2007. BMC Public Health. 2010; 10: 485.
29. Trueba Guadalupe, Velazco Maria Teresa , Lara Enrique Garcı ´a, and Martı ´nez Hugo B. Alternative Strategy to Decrease Cesarean Section: Support by Doulas During Labor. Journal of Perinatal Education, 9(2), 8–13
30. Yei Yang, Yoshida Yoshitoku, Harun – or – Rashid and Sakamoto Junichi. Factors Affecting the utilization of antenatal care services among women in Kham District, Xiengkhouang Province, LAO PDR. Nagoya J. Med. SCI. 72. 23 ~ 33, 2010.